



Defining Classes and Methods

Chapter 5

Class and Method Definitions: Outline

- Class Files and Separate Compilation
- Instance Variables
- Methods
- The Keyword `this`
- Local Variables
- Blocks
- Parameters of a Primitive Type

Class and Method Definitions

- Java program consists of objects which interact with one another
 - Objects of class types (String, Scanner)
 - Objects have both data and methods
- Program objects can represent
 - Objects in real world
 - Abstractions

Class and Method Definitions

- A **class definition** is a **template** or **blueprint** for creating objects
- A class definition is like a cookie-cutter
- A cookie cutter is not a cookie, but it can be used to create cookies
- Each cookie created by a particular cookie-cutter will have **the same attributes** (thickness, decoration), but **different values for those attributes** (3mm, “#1 Luke”)

Class and Method Definitions

- An **instance** of a class is an object of that class type



Class and Method Definitions

- Figure 5.1 A class as a blueprint

```
Class Name: Automobile

Data:
  amount of fuel _____
  speed _____
  license plate _____

Methods (actions):
  accelerate:
    How: Press on gas pedal.
  decelerate:
    How: Press on brake pedal.
```

Class and Method Definitions

- Figure 5.1 ctd.

First Instantiation:

Object name: patsCar

```
amount of fuel: 10 gallons  
speed: 55 miles per hour  
license plate: "135 XJK"
```

Second Instantiation:

Object name: suesCar

```
amount of fuel: 14 gallons  
speed: 0 miles per hour  
license plate: "SUES CAR"
```

Third Instantiation:


Object name: ronsCar

```
amount of fuel: 2 gallons  
speed: 75 miles per hour  
license plate: "351 WLF"
```

Objects that are
instantiations of the
class **Automobile**

Class and Method Definitions

- Figure 5.2 A class outline as a UML class diagram



Class Files and Separate Compilation

- Each **Java** class definition usually in a file by itself
 - File begins with name of the class
 - Ends with **.java**
- Class can be compiled separately
- Helpful to keep all class files used by a program in the same directory

Dog class and Instance Variables

- View `Dog.java` and `DogDemo.java`
- Note `Dog` has
 - Three pieces of data (instance variables)
 - Two behaviors (methods)
- Each instance of this type has its own copies of the data items
- Use of `public`
 - No restrictions on how variables used
 - Later will replace with `private`

Methods

- When you use a method you "invoke" or "call" it
- Two kinds of Java methods
 - Return a single item
 - Perform some other action – a **void** method
- The method **main** is a **void** method
 - Invoked by the system
 - Not by the application program

Methods

- Calling a method that returns a quantity
 - Use anywhere a value can be used
 - `if (keyboard.nextInt() > 0) ...`
- Calling a void method
 - Write the invocation followed by a semicolon
 - Resulting statement performs the action defined by the method
 - `System.out.println("hello");`

Defining **void** Methods

- Consider method **writeOutput** from

Dog

```
public void writeOutput()
{
    System.out.println("Name: " + name);
    System.out.println("Breed: " + breed);
    System.out.println("Age in calendar years: " +
        age);
    System.out.println("Age in human years: " +
        getAgeInHumanYears());
    System.out.println();
}
```

- Method definitions appear inside class definition
 - Can be used only with objects of that class


Defining `void` Methods

- Most method definitions we will see as `public`
- Method does not return a value
 - Specified as a `void` method
- Heading includes parameters
- Body enclosed in braces `{ }`
- Think of method as defining an action to be taken

Methods That Return a Value

- Consider method `getAgeInHumanYears ()`

```
public int getAgeInHumanYears()  
{  
    int humanAge = 0;  
    if (age <= 2)  
    {  
        humanAge = age * 11;  
    }  
    else  
    {  
        humanAge = 22 + ((age-2) * 5);  
    }  
    return humanAge;  
}
```



- Heading declares type of value to be returned
- Last statement executed is `return`

Example: Species Class

- Class designed to hold records of endangered species
- View **SpeciesFirstTry.java**
 - Three instance variables, three methods
 - Will expand this class in the rest of the chapter
- View **SpeciesFirstTryDemo.java**

Naming Methods

- Use a verb (or verb phrase) to name a void method
 - Examples: `writeOutput`
- Use a noun (or noun phrase) to name a method that returns a value
 - Example: `nextInt`
- All method names should start with a lowercase letter

Referring to Instance Variables

- Referring to instance variables outside the class – must use
 - Name of an object of the class
 - Followed by a dot
 - Name of instance variable
- Inside the class,
 - Use name of variable alone
 - The object (unnamed) is understood to be there

The Keyword **this**

- Inside the class the unnamed object can be referred to with the name **this**

- Example

```
this.name = keyboard.nextLine();
```

- The keyword **this** stands for the receiving object
 - Can usually be omitted
- We will see some situations later that require the **this**

Local Variables

- Variables declared inside a method are called *local variables*
 - May be used only inside the method
- All variables declared in method **main** are local to **main**
- Local variables having the same name inside a different method are considered different variables

Local Variables

- View `BankAccount.java` and `LocalVariablesDemoProgram.java`
- Note two different variables `newAmount`
 - Note different values output

```
With interest added, the new amount is $105.0  
I wish my new amount were $800.0
```

Sample
screen
output

Blocks

- Recall compound statements
 - Enclosed in braces { }
- When you declare a variable within a compound statement
 - The compound statement is called a *block*
 - The scope of the variable is from its declaration to the end of the block
- Variable declared outside the block usable both outside and inside the block
- In general: the portion of a program in which a variable has meaning is known as the variable's scope

Parameters of Primitive Type

- Recall method declaration

```
public int getPopulationIn10()  
{  
    int result = 0;  
    double populationAmount = population;  
    int count = 10;
```

in **SpeciesFirstTry**

- Note it only works for 10 years
- We can make it more versatile by giving the method a parameter to specify how many years
- Download **SpeciesSecondTry.java** and **SpeciesSecondTryDemo.java**

Parameters of Primitive Type

- Note the declaration

```
public int predictPopulation(int years)
```

- The *formal* parameter is `years`

- Calling the method

```
int futurePopulation =  
    speciesOfTheMonth.predictPopulation(10);
```

- The *actual* parameter is the integer 10

Parameters of Primitive Type

- Parameter names are local to the method
- When method invoked
 - Each parameter initialized to value in corresponding actual parameter
 - Primitive actual parameter cannot be altered by invocation of the method
- Automatic type conversion performed

byte -> short -> int ->
long -> float -> double

Information Hiding

- Programmer using a class method need not know details of implementation
 - Only needs to know *what* the method does
- Information hiding:
 - Designing a method so it can be used without knowing details
- Also referred to as *abstraction*
- Method design should separate *what* from *how*

The **public** and **private** Modifiers

- Type specified as **public**
 - Any other class can directly access that object by name
- Classes generally specified as **public**
- Instance variables usually not **public**
 - Instead specify as **private**
- View **SpeciesThirdTry.java**

Programming Example

- Demonstration of need for private variables
- Download **Rectangle.java**
- Statement such as
box.width = 6;
is illegal since **width** is **private**
 - Keeps remaining elements of the class consistent in this example

Programming Example

- Another implementation of a Rectangle class
- Download **Rectangle2.java**
- Note **setDimensions** method
 - This is the only way the **width** and **height** may be altered outside the class

Accessor and Mutator Methods

- When instance variables are **private** the class must provide methods to access values stored there
 - Typically named ***getSomeValue***
 - Referred to as accessor methods
- Must also provide methods to change the values of the **private** instance variable
 - Typically named ***setSomeValue***
 - Referred to as mutator methods

Accessor and Mutator Methods

- Consider an example class with accessor and mutator methods
- Download **SpeciesFourthTry** and **SpeciesFourthTryDemo**
- Note the mutator method
 - **setSpecies**
- Note accessor methods
 - **getName, getPopulation, getGrowthRate**

Programming Example

- A Purchase class
- Download **Purchase** and **PurchaseDemo**
 - Note use of **private** instance variables
 - Note also how mutator methods check for invalid values

Programming Example

Enter name of item you are purchasing:

pink grapefruit

Enter price of item as two numbers.

For example, 3 for \$2.99 is entered as

3 2.99

Enter price of item as two numbers, now:

4 5.00

Enter number of items purchased:

0

Number must be positive. Try again.

Enter number of items purchased:

3

3 pink grapefruit

at 4 for \$5.0

Cost each \$1.25

Total cost \$3.75

Sample
screen
output


Methods Calling Methods

- A method body may call any other method
- If the invoked method is within the same class
 - Need not use prefix of receiving object
- Download **Oracle** and **OracleDemo**

Methods Calling Methods


```
I am the oracle. I will answer any one-line question.  
What is your question?  
What time is it?  
Hmm, I need some help on that.  
Please give me one line of advice.  
Seek and ye shall find the answer.  
Thank you. That helped a lot.  
You asked the question:  
    What time is it?  
Now, here is my answer:  
    The answer is in your heart.  
Do you wish to ask another question?
```

Sample
screen
output



Cont. next slide

Methods Calling Methods



```
yes
What is your question?
What is the meaning of life?
Hmm, I need some help on that.
Please give me one line of advice.
Ask the car guys.
Thank you. That helped a lot.
You asked the question:
    What is the meaning of life?
Now, here is my answer:
    Seek and ye shall find the answer.
Do you wish to ask another question?
no
The oracle will now rest.
```

Sample
screen
output

Encapsulation


- Consider example of driving a car
 - We see and use break pedal, accelerator pedal, steering wheel – know what they do
 - We do not see mechanical details of how they do their jobs
- Encapsulation divides class definition into
 - Class interface
 - Class implementation

Encapsulation

- *A class interface*
 - Tells what the class does
 - Gives headings for public methods and comments about them
- *A class implementation*
 - Contains private variables
 - Includes definitions of public and private methods

Encapsulation

- Figure 5.3 A well encapsulated class definition



Encapsulation

- Preface class definition with comment on how to use class.
- Declare all instance variables in the class as private.
- Provide public accessor methods to retrieve data.
- Provide public methods manipulating data
 - Such methods could include public mutator methods.
- Place a comment before each public method heading that fully specifies how to use method.
- Make any helping methods private.
- Write comments within class definition to describe implementation details.

Automatic Documentation **javadoc**


- Generates documentation for class interface
- Comments in source code describing a class/method must be enclosed in **/** */**
 - **@param** for each parameter of a method
 - **@return** for describing what method returns
- Utility **javadoc** will include these comments and headings of public methods
- Output of **javadoc** is HTML format

Automatic Documentation **javadoc**

- Add **javadoc** comments to the **Rectangle** class
- In DrJava
 - Tools -> Javadoc -> Preview Javadoc for Current Document
 - May have to set browser first:
 - Edit -> Preferences -> Resource Locations
 - Enter browser command (firefox,...)

UML Class Diagrams

- Recall Figure 5.2 A class outline as a UML class diagram



UML Class Diagrams

- UML for the **Purchase** class



UML Class Diagrams

- Contains more than interface, less than full implementation
- Usually written *before* class is defined
- Used by the programmer defining the class
 - Contrast with the interface used by programmer who uses the class

Variables of a Class Type

- All variables are implemented as a memory location
- Data of *primitive type* stored in the memory location assigned to the variable
- Variable of *class type* contains memory address of object named by the variable

Variables of a Class Type

- Object itself not stored in the variable
 - Stored elsewhere in memory
 - Variable contains address of where it is stored
- Address called the *reference* to the variable
- A *reference type* variable holds references (memory addresses)
 - This makes memory management of class types more efficient

Variables of a Class Type

- = example with primitive type variables (works as expected):

```
int n = 42;
```

```
int m = n;
```

```
n = 99;
```

```
System.out.println(n + " and " + m);
```

- Output:

```
99 and 42
```

Variables of a Class Type

- = example with class type variables:

```
SpeciesFourthTry klingonSpecies =  
    new SpeciesFourthTry();  
SpeciesFourthTry earthSpecies =  
    new SpeciesFourthTry();  
klingonSpecies.setSpecies("Klingon", 10, 15);  
earthSpecies.setSpecies("Rhino", 11, 2);  
earthSpecies = klingonSpecies;  
earthSpecies.setSpecies("Elephant", 100, 12);  
System.out.println("earthSpecies:");  
earthSpecies.writeOutput();  
System.out.println("klingonSpecies:");  
klingonSpecies.writeOutput();
```

Variables of a Class Type

- = example with class type variables (ctd.),
output:

`earthSpecies:`

`Name = Elephant`

`Population = 100`

`Growth rate = 12%`

`klingsonSpecies:`

`Name = Elephant`

`Population = 100`


`Growth rate = 12%`

Variables of a Class Type

- Behavior of class variables

```
SpeciesFourthTry klingonSpecies, earthSpecies;
```

klingonSpecies




earthSpecies

*Two memory locations
for the two variables*


```
klingonSpecies = new SpeciesFourthTry();  
earthSpecies = new SpeciesFourthTry();
```

klingonSpecies




earthSpecies

1056



2078




*We do not know what memory addresses
will be used. We used 1056 and 2078 in
this figure, but they could be almost any
numbers.*

Variables of a Class Type


- Behavior of class variables

```
klingspecies.setSpecies("Klingon ox", 10, 15);  
earthSpecies.setSpecies("Black rhino", 11, 2);
```




Variables of a Class Type

- Behavior of class variables



Variables of a Class Type


- Behavior of class variables



Variables of a Class Type

- Dangers of using `==` with objects

```
klingspecies = new SpeciesFourthTry();  
earthSpecies = new SpeciesFourthTry();
```




We do not know what memory addresses will be used. We used 1056 and 2078 in this figure, but they could be almost any numbers.

Variables of a Class Type

- Dangers of using `==` with objects

```
klingspecies.setSpecies("Klingon ox", 10, 15);  
earthSpecies.setSpecies("Klingon ox", 10, 15);
```



```
if (klingspecies == earthSpecies)  
    System.out.println("They are EQUAL.");  
else  
    System.out.println("They are NOT equal.");
```

The output is They are Not equal, because 2078 is not equal to 1056.

Defining an `equals` Method

- As demonstrated by previous figures
 - We cannot use `==` to compare two objects
 - We must write a method for a given class which will make the comparison as needed
- Download `Species`
- The `equals` for this class method used same way as `equals` method for `String`

Demonstrating an `equals` Method

- Download `SpeciesEqualsDemo`
- Note difference in the two comparison methods `==` versus `.equals ()`

```
Do Not match with ==.  
Match with the method equals.  
Now we change one Klingon ox to all lowercase.  
Match with the method equals.
```

Sample
screen
output

Boolean-Valued Methods

- Methods can return a value of type **boolean**
- Use a **boolean** value in the **return** statement
- Add this method to the **Species** class

```
/**
 * Precondition: This object and the argument otherSpecies
 * both have values for their population.
 * Returns true if the population of this object is greater
 * than the population of otherSpecies; otherwise, returns false.
 */
public boolean isPopulationLargerThan(Species otherSpecies)
{
    return population > otherSpecies.population;
}
```

Parameters of a Class Type

- When assignment operator used with objects of class type
 - Only memory address is copied
- Similar to use of parameter of class type
 - Memory address of actual parameter passed to formal parameter
 - Formal parameter may access public elements of the class
 - Actual parameter thus can be changed by class methods

Programming Example

- Download **DemoSpecies**
 - Note different parameter types and results
- Download **ParametersDemo**
 - Parameters of a class type versus parameters of a primitive type

Programming Example

```
aPopulation BEFORE calling tryToChange: 42
aPopulation AFTER calling tryToChange: 42
s2 BEFORE calling tryToReplace:
Name = Ferengie Fur Ball
Population = 90
Growth Rate = 56.0%
s2 AFTER calling tryToReplace:
Name = Ferengie Fur Ball
Population = 90
Growth Rate = 56.0%
s2 AFTER calling change:
Name = Klingon ox
Population = 10
Growth Rate = 15.0%
```

Sample
screen
output